

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 1/9

EURODUR EPV 0411 groundfix Komponente A

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

EURODUR EPV 0411 groundfix Komponente A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Sector of uses [SU]

SU 19: Building and construction work

Uses advised against:

Sector of uses [SU]

SU 21: Consumer uses: Private households (= general public = consumers)

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Euroteam Bauchemie GmbH

An der Mühle 1

15345 Altlandsberg

Germany

Telephone: +49 (0) 33438 14790

Telefax: +49 (0) 33438 147929

E-mail: info@euroteam-bauchemie.de

Website: www.euroteam-bauchemie.de

E-mail (competent person): info@euroteam-bauchemie.de

1.4. Emergency telephone number

Labor, 24h: +49 (0) 162 2599220, Montag - Donnerstag 7:00 - 16:00; Freitag 7:00 - 13:00 +49 (0) 33438 1479 19 (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation (<i>Skin Irrit. 2</i>)	H315: Causes skin irritation.	
Respiratory or skin sensitisation (<i>Skin Sens. 1</i>)	H317: May cause an allergic skin reaction.	
Serious eye damage/eye irritation (<i>Eye Irrit. 2</i>)	H319: Causes serious eye irritation.	
Hazardous to the aquatic environment (<i>Aquatic Chronic 3</i>)	H412: Harmful to aquatic life with long lasting effects.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS07

Exclamation mark

Signal word: Warning

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 2/9

EURODUR EPV 0411 groundfix Komponente A

Hazard components for labelling:

reaction product: bisphenol-A-(epichlorhydrin)epoxy resin (number average) molecular weight ≤ 700 ;
reaction product: bisphenol-F-(epichlorhydrin)epoxy resin (number average) molecular weight ≤ 700 ;
Pineoil; 1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane

hazard statements for health hazards

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

hazard statements for environmental hazards

H412	Harmful to aquatic life with long lasting effects.
------	--

Supplemental Hazard information (EU)

EUH205	Contains epoxy constituents. May produce an allergic reaction.
--------	--

Precautionary statements Prevention

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264.1	Wash hands thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.

Precautionary statements Response

P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.



2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No. 1272/2008 [CLP]	Concentration
CAS No.: 25068-38-6 EC No.: 500-033-5	reaction product: bisphenol-A-(epichlorhydrin)epoxy resin (number average) molecular weight ≤ 700 Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, Aquatic Chronic 2  Warning H315-H317-H319-H411	10 - 15 %
CAS No.: 28064-14-4	reaction product: bisphenol-F-(epichlorhydrin)epoxy resin (number average) molecular weight ≤ 700 Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, Aquatic Chronic 2 H315-H317-H319-H411	5 - 10 %
CAS No.: 94266-48-5	Pineoil Flam. Liq. 3, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, Asp. Tox. 1, Aquatic Chronic 2 H226-H304-H315-H317-H319-H411	1 - 5 %
CAS No.: 17557-23-2 EC No.: 241-536-7	1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane Skin Irrit. 2, Skin Sens. 1  Warning H315-H317	1 - 5 %

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

Take off immediately all contaminated clothing and wash it before reuse.

Following inhalation:

In case of respiratory tract irritation, consult a physician. Apply cortisone spray at early stage.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 3/9

EURODUR EPV 0411 groundfix Komponente A

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion:

Do NOT induce vomiting. Immediately call a doctor.

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

alcohol resistant foam, Extinguishing powder, Carbon dioxide (CO₂), Water spray

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Gases/vapours, harmful

Hazardous combustion products:

Hazardous decomposition products: Carbon dioxide (CO₂), Gases, Nitrogen oxides (NO_x), Carbon monoxide.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

5.4. Additional information

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Provide adequate ventilation. To follow: SECTION 7: Handling and storage; Personal protection equipment: see section 8

6.1.2. For emergency responders

No data available

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment:

Take up mechanically. Disposal: see section 13

6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13 Personal protection equipment: see section 8

6.5. Additional information

No data available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Avoid contact with skin and eyes. When using do not eat, drink or smoke.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 4/9

EURODUR EPV 0411 groundfix Komponente A

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels:

Store in a closed container.

Hints on storage assembly:

Keep away from food, drink and animal feedingstuffs.

Storage class: 10 – Combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Keep container dry. To follow: Recommended storage temperature

7.3. Specific end use(s)

Industrial sector specific solutions:

Epoxy resin products, solvent-free, sensitising

Giscode:

RE1

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection

Skin protection:

Wear protective gloves. Suitable gloves type: plastic. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. Check leak tightness/impermeability prior to use. Use protective skin cream before handling the product. Suitable material: NBR (Nitrile rubber), FKM (fluoro rubber). Thickness of the glove material: $\geq 0,5$ mm. Breakthrough time (maximum wearing time): ≥ 480 min. Breakthrough times and swelling properties of the material must be taken into consideration. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable protective clothing.

Respiratory protection:

Respiratory protection necessary at: exceeding exposure limit values. Suitable respiratory protection apparatus: Half-face mask or quarter facepiece: maximum use concentration for substances with exposure limits: P1 filter: up to a max. of 4 times the exposure limit. P2 filter: up to a max. of 10 times the exposure limit. P3 filter: up to a max. of 30 times the expo

Other protection measures:

Keep away from food, drink and animal feedingstuffs. Take off immediately all contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Wear suitable protective clothing.

8.2.3. Environmental exposure controls

No data available

8.3. Additional information

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: solid

Colour: grey

Odour: characteristic

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 5/9

EURODUR EPV 0411 groundfix Komponente A

Safety relevant basis data

parameter		at °C	Method	remark
pH	not determined			
Melting point/freezing point	not determined			
Freezing point	not determined			
Initial boiling point and boiling range	> 200 °C			
Decomposition temperature (°C):	not determined			
Flash point	> 100 °C			
Evaporation rate	not determined			
Ignition temperature in °C	not determined			
Upper/lower flammability or explosive limits	not determined			
Vapour pressure	not applicable			
Vapour density	not determined			
Density	2 g/cm ³	23 °C		
Bulk density	not determined			
Water solubility (g/L)	not determined			
Partition coefficient: n-octanol/water	not determined			
Dynamic viscosity	not determined			
Kinematic viscosity	not determined			

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

none

10.5. Incompatible materials

Incompatible materials: acid-resistant, alkaline, Oxidising agent

10.6. Hazardous decomposition products

Carbon dioxide, Nitrogen oxides (NO_x), Carbon monoxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation:

Irritating to skin.

Eye damage/irritation:

Irritating to eyes.

Respiratory or skin sensitisation:

Sensitisation to the respiratory tract. Skin sensitisation.

Additional information:

The product is skin resorptive.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 6/9

EURODUR EPV 0411 groundfix Komponente A

SECTION 12: Ecological information

12.1. Toxicity

Assessment/classification:

No information available.

Additional ecotoxicological information:

Do not allow to enter into surface water or drains.

12.2. Persistence and degradability

Additional information:

No information available.

12.3. Bioaccumulative potential

Accumulation / Evaluation:

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product:

08 01 12	waste paint and varnish other than those mentioned in 08 01 11
----------	--

13.2. Additional information

No data available

SECTION 14: Transport information

No dangerous good in sense of these transport regulations.

14.1. UN-No.

not relevant

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

not relevant

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not relevant

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 7/9

EURODUR EPV 0411 groundfix Komponente A

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

No data available

15.1.2. National regulations

[DE] National regulations

Water hazard class (WGK)

WGK:

2 - deutlich wassergefährdend

Berufsgenossenschaftliche Vorschriften (BGV)

Berufsgenossenschaftliche Vorschriften (BGV): D25 Berufsgenossenschaftliche Informationen (BGI): 595

Berufsgenossenschaftliche Regeln (BGR): 227

15.2. Chemical Safety Assessment

For this substance a chemical safety assessment has not been carried out.

15.3. Additional information

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 8/9

EURODUR EPV 0411 groundfix Komponente A

SECTION 16: Other information

16.1. Indication of changes

- 1.1. Product identifier
- 1.2. Relevant identified uses of the substance or mixture and uses advised against
- 1.3. Details of the supplier of the safety data sheet
- 1.4. Emergency telephone number
- 10.1. Reactivity
- 10.2. Chemical stability
- 10.3. Possibility of hazardous reactions
- 10.4. Conditions to avoid
- 10.5. Incompatible materials
- 10.6. Hazardous decomposition products
- 10.7. Additional information
- 11.1. Information on toxicological effects
- 12.1. Toxicity
- 12.2. Persistence and degradability
- 12.3. Bioaccumulative potential
- 12.4. Mobility in soil
- 12.5. Results of PBT and vPvB assessment
- 12.6. Other adverse effects
- 13.1. Waste treatment methods
- 14.5. Environmental hazards
- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
- 15.2. Chemical Safety Assessment
- 16.1. Indication of changes
- 16.2. Abbreviations and acronyms
- 16.3. Key literature references and sources for data
- 16.4. Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]
- 16.5. Relevant R-, H- and EUH-phrases (Number and full text)
- 16.6. Training advice
- 16.7. Additional information
- 2.1. Classification of the substance or mixture
- 2.2. Label elements
- 2.3. Other hazards
- 3.1. Substances
- 3.2. Mixtures
- 4.1. Description of first aid measures
- 4.2. Most important symptoms and effects, both acute and delayed
- 4.3. Indication of any immediate medical attention and special treatment needed
- 5.1. Extinguishing media
- 5.2. Special hazards arising from the substance or mixture
- 5.3. Advice for firefighters
- 6.1. Personal precautions, protective equipment and emergency procedures
- 6.2. Environmental precautions
- 6.3. Methods and material for containment and cleaning up
- 6.4. Reference to other sections
- 7.1. Precautions for safe handling
- 7.2. Conditions for safe storage, including any incompatibilities
- 7.3. Specific end use(s)
- 8.1. Control parameters
- 8.2. Exposure controls
- 9.1. Information on basic physical and chemical properties
- 9.2. Other information

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 9/9

EURODUR EPV 0411 groundfix Komponente A

16.4. Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]

Classification according to Regulation (EC) No. 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation (<i>Skin Irrit. 2</i>)	H315: Causes skin irritation.	
Respiratory or skin sensitisation (<i>Skin Sens. 1</i>)	H317: May cause an allergic skin reaction.	
Serious eye damage/eye irritation (<i>Eye Irrit. 2</i>)	H319: Causes serious eye irritation.	
Hazardous to the aquatic environment (<i>Aquatic Chronic 3</i>)	H412: Harmful to aquatic life with long lasting effects.	

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

16.6. Training advice

No data available

16.7. Additional information

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 1/10

EURODUR EPV 0411 groundfix Komponente B_normal

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

EURODUR EPV 0411 groundfix Komponente B_normal

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Sector of uses [SU]

SU 19: Building and construction work

Uses advised against:

Sector of uses [SU]

SU 21: Consumer uses: Private households (= general public = consumers)

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Euroteam Bauchemie GmbH

An der Mühle 1

15345 Altlandsberg

Germany

Telephone: +49 (0) 33438 14790

Telefax: +49 (0) 33438 147929

E-mail: info@euroteam-bauchemie.de

Website: www.euroteam-bauchemie.de

E-mail (competent person): info@euroteam-bauchemie.de

1.4. Emergency telephone number

Labor, 24h: +49 (0) 162 2599220, Montag - Donnerstag 7:00 - 16:00; Freitag 7:00 - 13:00 +49 (0) 33438 1479 19 (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation (<i>Skin Corr. 1B</i>)	H314: Causes severe skin burns and eye damage.	
Respiratory or skin sensitisation (<i>Skin Sens. 1</i>)	H317: May cause an allergic skin reaction.	
Hazardous to the aquatic environment (<i>Aquatic Chronic 3</i>)	H412: Harmful to aquatic life with long lasting effects.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS05
Corrosion



GHS07
Exclamation mark

Signal word: Danger

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 2/10

EURODUR EPV 0411 groundfix Komponente B_normal

Hazard components for labelling:

Polyoxypropylenediamine; 2-piperazin-1-ylethylamine; Fatty acids, tall-oil, reaction products with polyethylenepolyamines; Phenol, styrenated

hazard statements for health hazards

H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.

hazard statements for environmental hazards

H412	Harmful to aquatic life with long lasting effects.
------	--

Precautionary statements Prevention

P280	Wear protective gloves/protective clothing/eye protection/face protection.
------	--

Precautionary statements Response

P302 + P352.1	IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No. 1272/2008 [CLP]	Concentration
CAS No.: 68910-93-0 EC No.: 272-756-1	Fatty acids, tall-oil, reaction products with polyethylenepolyamines Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1 H315-H317-H319	70 - 75 %
CAS No.: 61788-44-1 EC No.: 262-975-0 REACH No.: 01-2119980970-27-XXXX	Phenol, styrenated	10 - 15 %
CAS No.: 9046-10-0 EC No.: 618-561-0 REACH No.: 01-2119557899-12-XXXX	Polyoxypropylenediamine Skin Corr. 1B, Acute Tox. 4 H302-H312-H314	10 - 15 %
CAS No.: 140-31-8 EC No.: 205-411-0 REACH No.: 01-2119471486-30-XXXX	2-piperazin-1-ylethylamine	1 - 5 %

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

Take off immediately all contaminated clothing.

Following inhalation:

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. In case of respiratory tract irritation, consult a physician. Apply cortisone spray at early stage. If unconscious place in recovery position and seek medical advice.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 3/10

EURODUR EPV 0411 groundfix Komponente B_normal

In case of skin contact:

Wash immediately with: Water. For cleaning up: Polyethylene glycol 400 Subsequently wash off with: Water.
Call a physician immediately.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Call a physician immediately.

After ingestion:

Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water.

Self-protection of the first aider:

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

alcohol resistant foam, Extinguishing powder, Carbon dioxide (CO₂), Water spray

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

Harmful: danger of serious damage to health by prolonged exposure through inhalation.

Hazardous combustion products:

In case of fire may be liberated: Carbon dioxide (CO₂), Nitrogen oxides (NO_x), Carbon monoxide.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Provide adequate ventilation. Avoid: Inhalation of vapours or spray/mists. Safe handling: see section 7,

Personal protection equipment: see section 8

6.1.2. For emergency responders

No data available

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For cleaning up:

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

No data available

6.5. Additional information

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 4/10

EURODUR EPV 0411 groundfix Komponente B_normal

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Avoid: Skin contact, Eye contact, Inhalation of vapours or spray/mists. When using do not eat, drink or smoke.

Advices on general occupational hygiene

Wash hands before breaks and after work. Apply skin care products after work. Use protective skin cream before handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed.

Requirements for storage rooms and vessels:

Keep container tightly closed and dry. To follow: Recommended storage temperature

Hints on storage assembly:

Keep away from food, drink and animal feedingstuffs.

Storage class: 8A - Combustible corrosive substances

7.3. Specific end use(s)

Industrial sector specific solutions:

Epoxy resin products, solvent-free, sensitising

Giscode:

RE1

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection

Skin protection:

Wear protective gloves. Suitable gloves type: plastic. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. Check leak tightness/impermeability prior to use. Use protective skin cream before handling the product. Suitable material: NBR (Nitrile rubber), FKM (fluoro rubber). Thickness of the glove material: $\geq 0,5$ mm. Breakthrough time (maximum wearing time): ≥ 480 min. Breakthrough times and swelling properties of the material must be taken into consideration. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable protective clothing.

Respiratory protection:

Respiratory protection necessary at: exceeding exposure limit values. Suitable respiratory protection apparatus: Half-face mask or quarter facepiece: maximum use concentration for substances with exposure limits: P1 filter: up to a max. of 4 times the exposure limit. P2 filter: up to a max. of 10 times the exposure limit. P3 filter: up to a max. of 30 times the expo

Other protection measures:

Keep away from food, drink and animal feedingstuffs. Take off immediately all contaminated clothing and wash it before reuse. Wear suitable protective clothing. Wash hands before breaks and after work.

8.2.3. Environmental exposure controls

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 5/10

EURODUR EPV 0411 groundfix Komponente B_normal

8.3. Additional information

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: liquid

Colour: yellow

Odour: Amines

Safety relevant basis data

parameter		at °C	Method	remark
pH	not determined			
Melting point/freezing point	not determined			
Freezing point	not determined			
Initial boiling point and boiling range	> 200 °C			
Decomposition temperature (°C):	not determined			
Flash point	93 °C			
Evaporation rate	not determined			
Ignition temperature in °C	not determined			
Upper/lower flammability or explosive limits	not determined			
Vapour pressure	1 hPa	50 °C		
Vapour density	not determined			
Density	1 g/cm ³	23 °C		
Bulk density	not determined			
Water solubility (g/L)	not determined			
Partition coefficient: n-octanol/ water	not determined			
Dynamic viscosity	not determined			
Kinematic viscosity	not determined			
flow time	50 - 75 s	23 °C		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

none

10.5. Incompatible materials

Incompatible materials: acid-resistant, alkaline, Oxidising agent

10.6. Hazardous decomposition products

Nitrogen oxides (NO_x), Carbon dioxide (CO₂), Carbon monoxide.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 6/10

EURODUR EPV 0411 groundfix Komponente B_normal

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation:

Corrosive

Eye damage/irritation:

Corrosive

Additional information:

Skin corrosion/irritation, Causes serious eye damage. The product is skin resorptive. Sensitising. Harmful if swallowed. IF INHALED: Do not breathe gas/vapour. Adverse human health effects and symptoms: Dizziness, Headache, Nausea.

SECTION 12: Ecological information

12.1. Toxicity

CAS No.	Substance name	Toxicological information
61788-44-1	Phenol, styrenated	LC₅₀ : 14.8 mg/l 4 d (Brachydanio rerio (zebra-fish)) OECD 203 EC₅₀ : >1 – 10 mg/l 2 d (Daphnia magna (Big water flea)) OECD 202 EC₅₀ : 3.14 mg/l 3 d (Scenedesmus subspicatus) OECD 201 NOEC : 1.9 mg/l 12 d (Oryzias latipes (Ricefish)) NOEC : 0.2 mg/l 21 d (Daphnia magna (Big water flea))

Aquatic toxicity:

No information available.

Additional ecotoxicological information:

No information available.

12.2. Persistence and degradability

CAS No.	Substance name	Biodegradation	remark
61788-44-1	Phenol, styrenated	No	Biodegradation: 4 %, Method: 310

Additional information:

No information available.

12.3. Bioaccumulative potential

Accumulation / Evaluation:

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

CAS No.	Substance name	Results of PBT and vPvB assessment
61788-44-1	Phenol, styrenated	—

No information available.

12.6. Other adverse effects

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 7/10

EURODUR EPV 0411 groundfix Komponente B_normal

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product:





08 01 11 * Waste paint and varnish containing organic solvents or other dangerous substances

*: Evidence for disposal must be provided.

13.2. Additional information

No data available

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN-No.			
2735	2735	2735	2735
14.2. UN proper shipping name			
POLYAMINES, LIQUID, CORROSIVE, N.O.S. (Polyoxypopulenediamine, 2-piperazin-1-ylethylamine)	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (Polyoxypopulenediamine, 2-piperazin-1-ylethylamine)	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (Polyoxypopulenediamine, 2-piperazin-1-ylethylamine)	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (Polyoxypopulenediamine, 2-piperazin-1-ylethylamine)
14.3. Transport hazard class(es)			
 8	 8	 8	 8
14.4. Packing group			
III	III	III	III
14.5. Environmental hazards			
No data available			
14.6. Special precautions for user			
Special provisions: E 1 Limited quantity (LQ): 7 L Hazard identification number (Kemler No.): 80 Classification code: C7 tunnel restriction code: E remark:	Special provisions: Limited quantity (LQ): Classification code: C7 remark:	Special provisions: E 1 Limited quantity (LQ): 5 L EmS-No.: F-A, ; S-B remark:	Special provisions: E 1 Limited quantity (LQ): remark:

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 8/10

EURODUR EPV 0411 groundfix Komponente B_normal

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

No data available

15.1.2. National regulations

[DE] National regulations

Water hazard class (WGK)

WGK:

3 - stark wassergefährdend

Berufsgenossenschaftliche Vorschriften (BGV)

Berufsgenossenschaftliche Vorschriften (BGV): D 25 Berufsgenossenschaftliche Informationen (BGI): 595
Berufsgenossenschaftliche Regeln (BGR): 227

15.2. Chemical Safety Assessment

For this substance a chemical safety assessment has not been carried out.

15.3. Additional information

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 9/10

EURODUR EPV 0411 groundfix Komponente B_normal

SECTION 16: Other information

16.1. Indication of changes

- 1.1. Product identifier
- 1.2. Relevant identified uses of the substance or mixture and uses advised against
- 1.3. Details of the supplier of the safety data sheet
- 1.4. Emergency telephone number
- 10.1. Reactivity
- 10.2. Chemical stability
- 10.3. Possibility of hazardous reactions
- 10.4. Conditions to avoid
- 10.5. Incompatible materials
- 10.6. Hazardous decomposition products
- 10.7. Additional information
- 11.1. Information on toxicological effects
- 12.1. Toxicity
- 12.2. Persistence and degradability
- 12.3. Bioaccumulative potential
- 12.4. Mobility in soil
- 12.5. Results of PBT and vPvB assessment
- 12.6. Other adverse effects
- 13.1. Waste treatment methods
- 14.5. Environmental hazards
- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
- 15.2. Chemical Safety Assessment
- 16.1. Indication of changes
- 16.2. Abbreviations and acronyms
- 16.3. Key literature references and sources for data
- 16.4. Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]
- 16.5. Relevant R-, H- and EUH-phrases (Number and full text)
- 16.6. Training advice
- 16.7. Additional information
- 2.1. Classification of the substance or mixture
- 2.2. Label elements
- 2.3. Other hazards
- 3.1. Substances
- 3.2. Mixtures
- 4.1. Description of first aid measures
- 4.2. Most important symptoms and effects, both acute and delayed
- 4.3. Indication of any immediate medical attention and special treatment needed
- 5.1. Extinguishing media
- 5.2. Special hazards arising from the substance or mixture
- 5.3. Advice for firefighters
- 6.1. Personal precautions, protective equipment and emergency procedures
- 6.2. Environmental precautions
- 6.3. Methods and material for containment and cleaning up
- 6.4. Reference to other sections
- 7.1. Precautions for safe handling
- 7.2. Conditions for safe storage, including any incompatibilities
- 7.3. Specific end use(s)
- 8.1. Control parameters
- 8.2. Exposure controls
- 9.1. Information on basic physical and chemical properties
- 9.2. Other information

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 10/10

EURODUR EPV 0411 groundfix Komponente B_normal

16.4. Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]

Classification according to Regulation (EC) No. 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation (<i>Skin Corr. 1B</i>)	H314: Causes severe skin burns and eye damage.	
Respiratory or skin sensitisation (<i>Skin Sens. 1</i>)	H317: May cause an allergic skin reaction.	
Hazardous to the aquatic environment (<i>Aquatic Chronic 3</i>)	H412: Harmful to aquatic life with long lasting effects.	

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

16.6. Training advice

No data available

16.7. Additional information

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 1/9

EURODUR EPV 0411 groundfix Komponente B_schnell

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

EURODUR EPV 0411 groundfix Komponente B_schnell

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Sector of uses [SU]

SU 19: Building and construction work

Uses advised against:

Sector of uses [SU]

SU 21: Consumer uses: Private households (= general public = consumers)

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Euroteam Bauchemie GmbH

An der Mühle 1

15345 Altlandsberg

Germany

Telephone: +49 (0) 33438 14790

Telefax: +49 (0) 33438 147929

E-mail: info@euroteam-bauchemie.de

Website: www.euroteam-bauchemie.de

E-mail (competent person): info@euroteam-bauchemie.de

1.4. Emergency telephone number

Labor, 24h: +49 (0) 162 2599220, Montag - Donnerstag 7:00 - 16:00; Freitag 7:00 - 13:00 +49 (0) 33438 1479 19 (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation (<i>Skin Corr. 1B</i>)	H314: Causes severe skin burns and eye damage.	
Respiratory or skin sensitisation (<i>Skin Sens. 1</i>)	H317: May cause an allergic skin reaction.	
Hazardous to the aquatic environment (<i>Aquatic Chronic 3</i>)	H412: Harmful to aquatic life with long lasting effects.	
Acute toxicity (oral) (<i>Acute Tox. 4</i>)	H302: Harmful if swallowed.	
Acute toxicity (dermal) (<i>Acute Tox. 4</i>)	H312: Harmful in contact with skin.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS05
Corrosion



GHS07
Exclamation mark

Signal word: Danger

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 2/9

EURODUR EPV 0411 groundfix Komponente B_schnell

Hazard components for labelling:

2-piperazin-1-ylethylamine; 3,6,9-triazaundecamethylenediamine

hazard statements for health hazards

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.

hazard statements for environmental hazards

H412	Harmful to aquatic life with long lasting effects.
------	--

Precautionary statements Prevention

P280	Wear protective gloves/protective clothing/eye protection/face protection.
------	--

Precautionary statements Response

P302 + P352.1	IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No. 1272/2008 [CLP]	Concentration
CAS No.: 140-31-8 EC No.: 205-411-0 REACH No.: 01-2119471486-30-XXXX	2-piperazin-1-ylethylamine	45 - 50 %
CAS No.: 112-57-2 EC No.: 203-986-2	3,6,9-triazaundecamethylenediamine Skin Corr. 1B, Acute Tox. 4, Skin Sens. 1, Aquatic Chronic 2 Danger H302-H312-H314-H317-H411	2.5 - 5 %

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

Take off immediately all contaminated clothing.

Following inhalation:

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. In case of respiratory tract irritation, consult a physician. Apply cortisone spray at early stage. If unconscious place in recovery position and seek medical advice.

In case of skin contact:

Wash immediately with: Water. For cleaning up: Polyethylene glycol 400 Subsequently wash off with: Water. Call a physician immediately.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Call a physician immediately.

After ingestion:

Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water.

Self-protection of the first aider:

First aider: Pay attention to self-protection!

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 3/9

EURODUR EPV 0411 groundfix Komponente B_schnell

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

alcohol resistant foam, Extinguishing powder, Carbon dioxide (CO₂), Water spray

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

Harmful: danger of serious damage to health by prolonged exposure through inhalation.

Hazardous combustion products:

In case of fire may be liberated: Carbon dioxide (CO₂), Nitrogen oxides (NO_x), Carbon monoxide.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Provide adequate ventilation. Avoid: Inhalation of vapours or spray/mists. Safe handling: see section 7,
Personal protection equipment: see section 8

6.1.2. For emergency responders

No data available

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For cleaning up:

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

No data available

6.5. Additional information

No data available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Avoid: Skin contact, Eye contact, Inhalation of vapours or spray/mists. When using do not eat, drink or smoke.

Advices on general occupational hygiene

Wash hands before breaks and after work. Apply skin care products after work. Use protective skin cream before handling the product.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 4/9

EURODUR EPV 0411 groundfix Komponente B_schnell

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed.

Requirements for storage rooms and vessels:

Keep container tightly closed and dry. To follow: Recommended storage temperature

Hints on storage assembly:

Keep away from food, drink and animal feedingstuffs.

Storage class: 8A – Combustible corrosive substances

7.3. Specific end use(s)

Industrial sector specific solutions:

Epoxy resin products, solvent-free, sensitising

Giscode:

RE1

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection

Skin protection:

Wear protective gloves. Suitable gloves type: plastic. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. Check leak tightness/impermeability prior to use. Use protective skin cream before handling the product. Suitable material: NBR (Nitrile rubber), FKM (fluoro rubber). Thickness of the glove material: $\geq 0,5$ mm. Breakthrough time (maximum wearing time): ≥ 480 min. Breakthrough times and swelling properties of the material must be taken into consideration. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable protective clothing.

Respiratory protection:

Respiratory protection necessary at: exceeding exposure limit values. Suitable respiratory protection apparatus: Half-face mask or quarter facepiece: maximum use concentration for substances with exposure limits: P1 filter: up to a max. of 4 times the exposure limit. P2 filter: up to a max. of 10 times the exposure limit. P3 filter: up to a max. of 30 times the expo

Other protection measures:

Keep away from food, drink and animal feedingstuffs. Take off immediately all contaminated clothing and wash it before reuse. Wear suitable protective clothing. Wash hands before breaks and after work.

8.2.3. Environmental exposure controls

No data available

8.3. Additional information

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: liquid

Colour: yellow

Odour: Amines

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 5/9

EURODUR EPV 0411 groundfix Komponente B_schnell

Safety relevant basis data

parameter		at °C	Method	remark
pH	not determined			
Melting point/freezing point	not determined			
Freezing point	not determined			
Initial boiling point and boiling range	> 200 °C			
Decomposition temperature (°C):	not determined			
Flash point	93 °C			
Evaporation rate	not determined			
Ignition temperature in °C	not determined			
Upper/lower flammability or explosive limits	not determined			
Vapour pressure	1 hPa	50 °C		
Vapour density	not determined			
Density	1 g/cm ³	23 °C		
Bulk density	not determined			
Water solubility (g/L)	not determined			
Partition coefficient: n-octanol/water	not determined			
Dynamic viscosity	not determined			
Kinematic viscosity	not determined			
flow time	45 – 65 s	23 °C		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

none

10.5. Incompatible materials

Incompatible materials: acid-resistant, alkaline, Oxidising agent

10.6. Hazardous decomposition products

Nitrogen oxides (NO_x), Carbon dioxide (CO₂), Carbon monoxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation:

Corrosive

Eye damage/irritation:

Corrosive

Additional information:

Skin corrosion/irritation, Causes serious eye damage. The product is skin resorptive. Sensitising. Harmful if swallowed. IF INHALED: Do not breathe gas/vapour. Adverse human health effects and symptoms: Dizziness, Headache, Nausea.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 6/9

EURODUR EPV 0411 groundfix Komponente B_schnell

SECTION 12: Ecological information

12.1. Toxicity

Aquatic toxicity:

No information available.

Additional ecotoxicological information:

No information available.

12.2. Persistence and degradability

Additional information:

No information available.

12.3. Bioaccumulative potential

Accumulation / Evaluation:

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product:





08 01 11 *	Waste paint and varnish containing organic solvents or other dangerous substances
------------	---

*: Evidence for disposal must be provided.

13.2. Additional information

No data available

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN-No.			
2735	2735	2735	2735
14.2. UN proper shipping name			
POLYAMINES, LIQUID, CORROSIVE, N.O.S. (TET-RAETHYLENEPENTAMINE, 2-piperazin-1-ylethylamine)	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (TET-RAETHYLENEPENTAMINE, 2-piperazin-1-ylethylamine)	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (TET-RAETHYLENEPENTAMINE, 2-piperazin-1-ylethylamine)	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (TET-RAETHYLENEPENTAMINE, 2-piperazin-1-ylethylamine)
14.3. Transport hazard class(es)			
 8	 8	 8	 8

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 7/9

EURODUR EPV 0411 groundfix Komponente B_schnell

Land transport (ADR/ RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO- TI / IATA-DGR)
------------------------------	--------------------------------	----------------------	--

14.4. Packing group

III	III	III	III
-----	-----	-----	-----

14.5. Environmental hazards

No data available

14.6. Special precautions for user

Special provisions: E 1 Limited quantity (LQ): 7 L Hazard identification number (Kemler No.): 80 Classification code: C7 tunnel restriction code: E remark:	Special provisions: Limited quantity (LQ): Classification code: C7 remark:	Special provisions: E 1 Limited quantity (LQ): 5 L EmS-No.: F-A, ; S-B remark:	Special provisions: E 1 Limited quantity (LQ): remark:
---	---	--	---

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

No data available

15.1.2. National regulations

 [DE] National regulations

Water hazard class (WGK)

WGK:

2 - deutlich wassergefährdend

Berufsgenossenschaftliche Vorschriften (BGV)

Berufsgenossenschaftliche Vorschriften (BGV): D 25 Berufsgenossenschaftliche Informationen (BGI): 595

Berufsgenossenschaftliche Regeln (BGR): 227

15.2. Chemical Safety Assessment

For this substance a chemical safety assessment has not been carried out.

15.3. Additional information

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 8/9

EURODUR EPV 0411 groundfix Komponente B_schnell

SECTION 16: Other information

16.1. Indication of changes

- 1.1. Product identifier
- 1.2. Relevant identified uses of the substance or mixture and uses advised against
- 1.3. Details of the supplier of the safety data sheet
- 1.4. Emergency telephone number
- 10.1. Reactivity
- 10.2. Chemical stability
- 10.3. Possibility of hazardous reactions
- 10.4. Conditions to avoid
- 10.5. Incompatible materials
- 10.6. Hazardous decomposition products
- 10.7. Additional information
- 11.1. Information on toxicological effects
- 12.1. Toxicity
- 12.2. Persistence and degradability
- 12.3. Bioaccumulative potential
- 12.4. Mobility in soil
- 12.5. Results of PBT and vPvB assessment
- 12.6. Other adverse effects
- 13.1. Waste treatment methods
- 14.5. Environmental hazards
- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
- 15.2. Chemical Safety Assessment
- 16.1. Indication of changes
- 16.2. Abbreviations and acronyms
- 16.3. Key literature references and sources for data
- 16.4. Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]
- 16.5. Relevant R-, H- and EUH-phrases (Number and full text)
- 16.6. Training advice
- 16.7. Additional information
- 2.1. Classification of the substance or mixture
- 2.2. Label elements
- 2.3. Other hazards
- 3.1. Substances
- 3.2. Mixtures
- 4.1. Description of first aid measures
- 4.2. Most important symptoms and effects, both acute and delayed
- 4.3. Indication of any immediate medical attention and special treatment needed
- 5.1. Extinguishing media
- 5.2. Special hazards arising from the substance or mixture
- 5.3. Advice for firefighters
- 6.1. Personal precautions, protective equipment and emergency procedures
- 6.2. Environmental precautions
- 6.3. Methods and material for containment and cleaning up
- 6.4. Reference to other sections
- 7.1. Precautions for safe handling
- 7.2. Conditions for safe storage, including any incompatibilities
- 7.3. Specific end use(s)
- 8.1. Control parameters
- 8.2. Exposure controls
- 9.1. Information on basic physical and chemical properties
- 9.2. Other information

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 16-Jun-2015

Version: 2.0

EUROTEAM
construction chemicals



Page 9/9

EURODUR EPV 0411 groundfix Komponente B_schnell

16.4. Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]

Classification according to Regulation (EC) No. 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation (<i>Skin Corr. 1B</i>)	H314: Causes severe skin burns and eye damage.	
Respiratory or skin sensitisation (<i>Skin Sens. 1</i>)	H317: May cause an allergic skin reaction.	
Hazardous to the aquatic environment (<i>Aquatic Chronic 3</i>)	H412: Harmful to aquatic life with long lasting effects.	
Acute toxicity (oral) (<i>Acute Tox. 4</i>)	H302: Harmful if swallowed.	
Acute toxicity (dermal) (<i>Acute Tox. 4</i>)	H312: Harmful in contact with skin.	

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.

16.6. Training advice

No data available

16.7. Additional information

No data available